

D4 Settings

04.09.12

PLAYBACK MENU

Delete

Playback folder – ALL

Hide image

Playback display options > Additional photo info > Highlights

Shooting data

Copy images(s)

Image review - OFF

After delete

Rotate tall – OFF

SHOOTING MENU

Shooting menu bank – A

Extended menu banks – OFF

Storage folder – 100

File naming – BMP

Primary slot selection > CF

Secondary slot function > Overflow

Image quality > Raw

Image size

Image area > Auto DX crop > ON

> Choose image area > FX

JPEG compression > Optimal quality

NEF (RAW) recording > Type > Lossless compressed

> NEF (RAW) bit depth 14-bit

White balance > AUTO1 (is my default, switched when needed)

Set Picture Control > Standard > Sharpening 5

> Vivid > Sharpening 5

> Landscape > Sharpening 5

Manage Picture Control

Color Space > Adobe RGB

Active D-Lighting – OFF

Vignette control – N

Auto distortion control – ON

Long exposure NR – OFF

High ISO NR – OFF

ISO sensitivity settings > 100

> Auto ISO sensitivity control – OFF

Multiple exposure – OFF

Interval timer shooting – OFF

Live view photography > Quiet

Time-lapse photography – OFF

Movie settings > Frame size/frame rate > 1080/30

- > Movie quality > HIGH
- > Microphone > 11
- > Destination > XQD
- > ISO sensitivity range > A12800

CUSTOM SETTING MENU

Custom settings bank – A

a Autofocus

- a1 AF-C priority selection – release
- a2 AF-S priority selection – focus
- a3*Focus tracking with lock-on > 1 (Short)
- a4 AF activation – ON
- a5* Focus point illumination > Manual focus mode > ON
 - > Continuous mode > ON
 - > Focus point brightness > 1 (High)
 - > Dynamic-area AF display > ON
- a6*Focus point wrap-around > ON
- a7 Number of focus points > AF51
- a8 Assign AF-ON button > AF-ON
- a9 Assign AF-ON button (vert.) > AF-ON
- a10*Store points by orientation > ON

b Metering/exposure

- b1 ISO sensitivity step value > 1/3
- b2 EV steps for exposure cntrl > 1/3
- b3 Exp./flash comp. step value > 1/3
- b4 Easy exposure compensation – OFF
- b5 Center-weighted area – (●)12
- b6 Fine-tune optimal exposure - -

c Timers/AE lock

- c1 Shutter-release button AE-L – OFF
- c2 Standby timer – 6s
- c3 Self-timer - -
- c4 Monitor off delay - -

d Shooting/display

- d1 Beep - -
- d2 Shooting speed - -
- d3 Max. continuous release 200
- d4 Exposure delay mode – OFF
- d5 File number sequence – ON
- d6*Viewfinder grid display – ON
- d7*Control panel/viewfinder > Rear control panel > Exposures remaining
 - > Viewfinder display > Frame count
- d8 Screen tips – ON
- d9 Information display – AUTO
- d10 LCD illumination – OFF

e Bracketing/flash

- e1*Flash sync speed > 1/250*
- e2*Flash shutter speed > 1/15
- e3 Optional flash
- e4*Exposure comp. for flash > Background only
- e5 Modeling flash – ON
- e6 Auto bracketing set – AE & flash
- e7 Auto bracketing (Mode M) – Flash/speed
- e8*Bracketing order > Under>MTR>over

f Controls

- f1*Multi selector center button > Shooting mode > RESET
 - > Playback mode > Zoom on/off > Medium magnification
 - > Live view > RESET
- f2 Multi selector
- f3*Assign Fn button > Press > Flash off
- f4*Assign preview button > Press > Viewfinder virtual horizon
- f5 Assign sub-selector – Focus point selection
- f6 Assign sub-selector center - -
- f7 Assign Fn button (vert.) - -
- f8 Shutter spd & aperture lock - -
- f9 Assign BKT button – BKT
- f10*Customize command dials > Reverse rotation > Exposure compensation
 - > Change main/sub > OFF
 - > Aperture setting > ON
 - > Menus and playback > ON (image review excluded)
- f11 Release button to use dial – OFF
- f12 Slot empty release lock – OK
- f13 Reverse indicators – 0 +
- f14 Assign multi selector (vert.) – Same as multi selector
- f15 Playback zoom - -
- f16 Assign movie record button – OFF

g Movie

- g1 Assign Fn button – OFF
- g2 Assign preview button - -
- g3 Assign sub-selector center - -
- g4 Assign shutter button - -

SETUP MENU

- Format memory card - -
- Monitor brightness – 0
- Clean image sensor > Clean at startup/shutdown
- Lock mirror up for cleaning - -
- Image Dust Off ref photo - -
- HDMI > Output resolution > Auto
 - > Advanced > Output range > AUTO
 - > Output display size > 95%
 - > Live view on-screen display > ON

Flicker reduction – AUTO
Time zone and date – (always set to current location)
Language – English
Auto image rotation – ON
Battery info
Network - -
Image comment – OFF
Copyright – ON
Copyright information – ON
IPTC - -
Voice memo options - -
Save/load settings - -
GPS > Standby timer > ON
 > Position
 > Use GPS to set camera clock > ON
Virtual horizon - -
Non-CPU lens data – No.1
AF fine-tune - -
Firmware version - -

MY MENU

Time zone and date
Set Picture Control
Choose image area
Movie settings
Lock mirror up for cleaning

blank = default

* = modified